

## Protein micropatterning as a tool to decipher plasma membrane organization and protein interactions

E. Sevcsik<sup>1</sup>, M. Brameshuber<sup>1</sup>, J. Weghuber<sup>2</sup>, M. Lindner<sup>3</sup>, I. Bergmair<sup>3</sup>, and G.J. Schütz<sup>1</sup>

<sup>1</sup>*Institut of Applied Physics, TU Vienna, Austria – sevcsik@iap.tuwien.ac.at*

<sup>2</sup>*University of Applied Science, Wels, Austria*

<sup>3</sup>*Sony BioSciences, Sony DADC, Salzburg, Austria*

### Abstract

Microstructured surfaces in combination with fluorescence microscopy provide a unique and versatile platform to study protein-protein and protein-lipid interactions in live cells. We have recently developed a protein micropatterning assay based on micro-contact printing that allows not only to monitor protein interactions in living cells but also to extract quantitative information with potential high throughput capabilities [1, 2]. Cells are plated on microstructured surfaces partly covered with ligands (antibodies) targeted against membrane proteins (bait), and the co-localization with a fluorescently labeled protein or lipid of interest (prey) is monitored. This assay has been successfully employed to characterize the interaction between Lck and CD4, two proteins involved in early T cell signaling [1, 2], two glycosylphosphatidyl-anchored proteins [3] and the modulation of the EGFR-Grb2 interaction by EGFR inhibitors [4].

We recently used a combination of micropatterning and single-molecule microscopy techniques to elucidate the nanoscopic arrangement and dynamics of the plasma membrane [5]. Further, we have developed new materials that meet the requirements for printing features in the 100 nm regime and have optimized localization-based super resolution microscopy techniques such as dSTORM and PALM in combination with atomic force microscopy to allow for the characterization of the created patterns.

[1] Schwarzenbacher et al., *Nature Methods*, 5(12), 2008, 1053

[2] Sunzenauer et al. *Cytometry A*, 83(9), 2013, 847

[3] Weghuber et al., *Anal Bioanal Chem.* 397(8), 2010, 3339-47

[4] Lanzersdorfer et al. *Plos One*, 9(3), e92151

[5] Sevcsik et al. *Nature Comms.*, 6, 6969